

Early necrotic skin lesions after a ABO-incompatible kidney transplantation

Julie Belliere, Marion Rolland, Emilie Tournier, Sophie Cassaing, Xavier Iriart, Carle Paul, Nassim Kamar

▶ To cite this version:

Julie Belliere, Marion Rolland, Emilie Tournier, Sophie Cassaing, Xavier Iriart, et al.. Early necrotic skin lesions after a ABO-incompatible kidney transplantation: The threat of Cunninghamella Spp.. Transplant Infectious Disease, 2019, 21 (6), pp.e13173. 10.1111/tid.13173. hal-03580069

HAL Id: hal-03580069 https://ut3-toulouseinp.hal.science/hal-03580069

Submitted on 18 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

IMAGES IN TRANSPLANT INFECTIOUS DISEASE

WILEY

Early necrotic skin lesions after a ABO-incompatible kidney transplantation: The threat of Cunninghamella Spp.

Julie Belliere^{1,2} | Marion Rolland³ | Emilie Tournier⁴ | Sophie Cassaing⁵ | Xavier Iriart⁵ | Carle Paul³ | Nassim Kamar^{1,6}

Correspondence

Julie Belliere, Department of Nephrology, Dialysis and Organ Transplantation, Toulouse University Hospital, Toulouse, France.

Email: julie.belliere@inserm.fr

Abstract

A 49-year-old man underwent ABO-incompatible kidney transplantation with a living donor. At day 33 post-transplantation, he presented with undiagnosed epilepsy with generalized tonic-clonic seizures. At day 44 post-transplantation, he developed left-sided pneumonia attributed to Aspergillus fumigatus and treatment with liposomal amphotericin B was initiated. At day 51 post-transplantation, necrotic skin lesions appeared. DNA sequencing in a fresh cutaneous biopsy finally identified Cunninghamella Spp., a member of the order Mucorales. Unfortunately, the necrotic lesions spread, and the patient died at day 60 post-transplantation. This case report highlights the infectious risk related to ABO-incompatible kidney transplantation and suggests a requirement for rapid identification of every skin lesion, even in the early phases of immunosuppression.

KEYWORDS

ABO-incompatible kidney transplantation, Cunninghamella, mucormycosis, necrotic skin lesions

1 | CASE REPORT

A 49-year-old man with severe ischemic myocardiopathy and chronic glomerulonephritis underwent ABO-incompatible kidney transplantation from a living donor after 20 years of dialysis. He received rituximab (375 mg/m²), 5 double filtration plasmapheresis sessions, and thymoglobulin (1.25 mg/kg) as initial immunosuppressive treatment, followed by a traditional regimen comprising tacrolimus, mycophenolic acid, and steroids. The surgery was performed under anti-aggregation treatment because of the ischemic myocardiopathy and heparin due to his history of pulmonary embolism. The urologist performed a uretero-ureteral anastomosis. The post-operative period was marked by several complications:

1. Graft function was delayed. At day 10 post-transplantation, while the creatinine level was 180 µmol/L, the patient experimented abdominal pain, revealing perirenal collection on tomodensitometry. Diagnosis of urinoma was established and

- required urine derivation. After several nephrostomy placements, urine output was maintained and the creatinine level dropped from 300 to 90 μ mol/L.
- 2. At day 33 post-transplantation, the patient presented epilepsy with generalized tonic-clonic seizures leading to orotracheal intubation. Electroencephalogram, cerebral MRI, and lumbar puncture did not reveal any abnormalities. No etiology was clearly identified and patient rapidly recovered (extubation at day 38 post-transplantation). A second MRI yielded normal results.
- 3. At day 44 post-transplantation, the patient presented fever, a productive, bloody cough, and left auscultatory inspiratory crackles. Chest CT scan revealed left-sided pneumonia. A tracheal aspirate culture finally detected the presence of Aspergillus fumigatus. Antibacterial treatment, initially relying on Tazobactampiperacillin, was then supplemented by liposomal amphotericin B (3 mg/kg) at day 44 post-transplantation. The response to treatment was partial: The patient did not require oxygen, and

¹Department of Nephrology, Dialysis and Organ Transplantation, Toulouse University Hospital, Toulouse, France

²INSERM U1048, I2MC, University Paul Sabatier, Toulouse, France

³Department of Dermatology and Allergology, Toulouse University Hospital, Toulouse, France

⁴Department of Anatomopathology, Toulouse University Hospital, Toulouse,

⁵Department of Parasitology and Mycology, Toulouse University Hospital, Toulouse, France

⁶INSERM U1043, IFR -BMT, University Paul Sabatier, Toulouse, France

some images improved on control scans performed on day 49 post-transplantation.

- 4. At day 46 post-transplantation, a coronarography was performed due to suspicion of myocardial ischemia, but only revealed atheroma.
- 5. At day 51 post-transplantation, necrotic skin lesions appeared (Figure 1). Skin biopsy showed epidermal necrosis and abundant dermal inflammatory infiltrate associated with fibrinoid necrosis of the vessel walls (Figure 2). Fungal organisms were detected using Grocott's methenamine silver staining (Figure 3). Microscopic examination using calcofluor white staining revealed fungal hyphae suggestive of mucormycosis, but the culture on Sabouraud agar medium remained sterile. Skin biopsy and serum samples examined using a combination of three quantitative PCR assays targeting Rhizomucor, Mucor/ Rhizopus, and Lichtheimia genera were negative. Direct sequencing of the D1/D2 domain of rDNA, 2 using an ABI 3130 XL apparatus (Applied Biosystem), was performed on the fresh skin biopsy and the serum. Two identical sequences of 419 bp were obtained on both samples and compared to the CBS database (http://www.westerdijkinstitute.nl/Collections/

BioloMICSSequences.aspx). Cunninghamella Spp. was finally identified. Nevertheless, it was not possible to distinguish between Cunninghamella bertholletiae and Cunninghamella elegans (100% overlap and similarity with best-match sequences of the two species—accession number CBS 779.68 and CBS 178.36). Treatment with liposomal amphotericin B




FIGURE 2 Skin biopsy, ×20 magnification, hematoxylin-eosin staining. Arrows indicate fibrinoid necrosis of the vessel walls







FIGURE 1 macroscopic view of the necrotic lesions




FIGURE 3 Skin biopsy, ×20 magnification, Grocott's methenamine silver staining. Arrows indicate Mucorales filaments

was increased to 10 mg/kg at day 54 post-transplantation, and local skincare was performed. Unfortunately, there was no response to treatment: necrotic lesions rapidly spread, and the patient died at day 60 post-transplantation. No autopsy was performed.

2 | DISCUSSION

To our knowledge, this is the first report of cutaneous infection with *Cunninghamella* Spp. in an ABO-incompatible kidney transplant recipient.

Mucormycosis are emerging infections occurring mostly in patients treated for hematological malignancies but also in patients undergoing solid organ transplantation. In France, the overall incidence of invasive fungal infections was 5.9/100 000 cases/year between 2001 and 2010. Mucormycosis represented 1.5% of invasive fungal infections.³ Whereas in the United States, the average annual percent increase was about 5.2% between 2000 and 2013,⁴ in France, incidence increased by 7.8%³ during the same period. Very high mortality is generally associated with these invasive fungal infections. *Cunninghamella* Spp. are ubiquitous fungi found in the environment (soil, sewage, air, water, and vegetation),⁵ and inhalation is the primary means of contamination. *Cunninghamella* Spp. accounts for 7% of reported cases of mucormycosis.⁶

This species is isolated primarily in patients with pulmonary or disseminated disease, which is why cutaneous manifestations are unusual. In our case, the most common alternative hypotheses were suspected initially: catastrophic cholesterol crystal embolism following coronarography, calciphylaxis due to a long history of dialysis, or heparin-related cutaneous necrosis. Direct identification of the pathogen on the cutaneous biopsy allowed this difficult diagnosis to be established. Although diagnosis of mucormycosis is increasingly effective because of the development of specific PCRs, specific diagnosis of *Cunninghamella* infection remains difficult because the combination of qPCR targeting 18S rDNA, widely used to diagnose mucormycosis in France, does not detect this species.

One should remember that kidney transplant patients are the most likely to develop *Cunninghamella* infection among solid organ transplant patients. A table summarizing previous reported infections with *Cunninghamella* Spp is available (Table 1). The infectious risk inherent to transplantation procedure should not be underestimated and Mucorales infections should always be considered, even in the early post-surgery phase. In our case, onset of infection appeared early after transplantation (51 days), consistent with previously reported cases (between 17 days and 12 months). Our patient exhibited neither diabetes mellitus nor neutropenia, which are classical risk factors for mucormycosis. This raises the question of the cumulative immunosuppression related to a long history of dialysis and an intensive ABO desensitization protocol, despite the patient's young age.

This case report underlines the urgency of initiating treatment as soon as possible. Optimal treatment for mucormycosis includes prompt antifungal therapy, surgical debridement, and a decrease in risk factors such as neutropenia or immunosuppressive agents. High doses of liposomal amphotericin B (5-10 mg/kg/d) are recommended as first-line treatment. Posaconazole is used as alternative or salvage therapy line. 10,11 Isavuconazole, a second-generation triazole, is now approved for treatment of mucormycosis when amphotericin is inappropriate. Although the mechanism remains unclear, administration of high-dose liposomal amphotericin B combined with micafungin and lobectomy was used successfully to treat pulmonary infections caused by Cunninghamella bertholletiae. 12 In our case, the rapid removal of tacrolimus, mycophenolic acid, and steroids as soon as Cunninghamella was identified should have been discussed. However, extensive disease precluded the use of salvage therapy line: Although liposomal amphotericin B was prescribed 7 days before the first clinical signs, our patient died from systemic invasion. It is consistent with the high mortality associated with Cunninghamella Spp infections, which is significantly higher than for those caused by other Mucorales. The global mortality rate for Mucorales infections is around 50%.⁷

Strikingly, the patient's initial neurological signs could not be explained by routine exams. We cannot rule out the implication of *Cunninghamella* in the inaugural epilepsy: Cerebral embolism through hematogenous dissemination has recently been reported, ¹³ as well as isolated cerebral mucormycosis whose diagnosis was made only after surgical exploration. ¹⁴ In retrospect, the pulmonary lesions that were attributed to *Aspergillus fumigatus* are not incompatible with *Cunninghamella* infection, as co-infections with Mucorales and *Aspergillus* have been demonstrated. ¹⁵

Finally, infection with *Cunninghamella* Spp. is rare, severe, and difficult to diagnose. In ABO-incompatible kidney transplant recipients, a skin lesion should be considered an emergency. A skin biopsy should be performed as soon as possible in case of any suspect lesion. Skin biopsy remains a safe procedure with high diagnosis yield and will provide rapid positive tissue culture and histologic confirmation of invasive fungal infection. Systematic initiation of amphotericin B should be discussed in the case of necrotic lesions.

(Continues)

 TABLE 1
 Previous reported infections with Cunninghamella Spp.

Year	First author	Age in years/ gender	Underlying disease	Presenting symptoms	Organ involvement	Treatment	Outcome
2010	Ashkenazi ¹⁷	16/M	Multi-visceral transplantation	Cellulitis	Skin	L-AMB; drainage; posaconazole	Improved
2014	Bhandary ¹⁸	54/M	No (immunocompetent patient)	Corneal ulcer	Eye	Topical medication; ketoconazole	Improved
2012	Bhutadal ¹⁹	52/M	Renal transplantation	Peritonitis on peritoneal dialysis	Abdomen	Fluconazole; catheter removal	Improved
2008	Bibashi ²⁰	10/M	Leukemia	Pneumonitis	Lung	L-AMB	Died
2014	Carceller ²¹	5/M	Leukemia	Pneumonitis	Lung	L-AMB; terbinafine; posaconazole; surgery	Improved
2014	Carceller ²¹	17/F	Leukemia, allo-hsct, gvhd	Skin lesions	Skin	L-AMB; terbinafine; posaconazole; surgery	Died
2000	Darrisaw ²²	46/F	Leukemia	Pneumonitis	Lung	L-AMB	Died
2010	Garbino ²³	10/F	Leukemia	Pneumonitis	Lung	L-AMB; voriconazole; posaconazole; surgery	Improved
2001	Garey ²⁴	52/M	Leukemia	Pneumonitis	Lung	L-AMB; surgery	Died
2011	Gupta ²⁵	18/F	No (immunocompetent patient)	Fever, cough	Lung	Fluconazole	Improved
2005	Hampson ²⁶	M/89	Myelodysplasia, diabetes	N/A	Skin inoculation	N/A	Died
2017	Hirano ²⁷	74/M	Asthma	Pulmonary eosinophilia	Lung	L-AMB	Died
2013	Hirayama ²⁸	22/F	Hemophagocytic lymphohistiocytosis	Nodular lesions	Lung	N/A	Died
2013	Hsieh ²⁹	M/69	Leukemia	Pneumonitis	Lung	L-AMB	Died
2006	Jayasuriya ³⁰	NA	No (immunocompetent patient)	Swelling cheek	Rhinofacial	L-AMB	Improved
2012	Kimura ³¹	53/F	Cord blood transplantation	Halo sign	Lung	L-AMB	Died
2017	Kohan ³²	26/M	Renal transplantation	Respiratory	Lung	L-AMB	Died
1983	Kolbeck ³³	M/04	Renal transplantation	Fever	Heart, disseminated	None	Died
2008	Koyama ³⁴	NA/F	Chronic renal insufficiency	Pneumonitis	Lung	L-AMB	Improved
2019	Liu ³⁵	50/F	Leukemia	Invasive rhinosinusitis	Sinus	Surgery; L-AMB	Improved
2016	Luo ³⁶	40/M	Hematopoietic stem cell transplantation	Pneumonitis	Lung	L-AMB; posaconazole	Died
2014	Malkan ³⁷	15/H	Leukemia	Cough	Lung	L-AMB; surgery	Improved
2018	Margoles ³⁸	Σ	Heart transplantation	Myocarditis	Heart	N/A	Died
2014	Matsumoto ³⁹	61/M	Leukemia	Septic pulmonary embolism	Lung	L-AMB	Died
2011	Mayayo ⁴⁰	42/M	Leukemia	Thyroiditis	Thyroid	L-AMB	Died
1989	Mostaza ⁴¹	N/A	Aids	Cutaneoarticular	Skin and knee	N/A	N/A
2009	Motohashi ⁴²	4/09	Leukemia	Eruption, pain	Skin	L-AMB	Died
2010	Mukasa ⁴³	75/M	Steroid therapy for interstitial pneumonia	Hypoxemia	Lung	L-AMB	Died
2014	Navanukroh ⁵	42/F	Renal transplantation	Dry cough, fever	Lung, spine	L-AMB; surgery	Improved

TABLE 1 (Continued)

Died

Died

L-AMB; caspofungin; surgery

Lung Lung Sinus - brain

Lung

Fever Pneumonitis

No (immunocompetent patient)

73/F 63/H 84/M

> Vazquez⁵⁹ Yamawaki⁶⁰

Renal transplantation

48/F

Zhang⁶¹

2002

Renal transplantation Metastasis from breast cancer

52/M

2015 2019 2005 2016

Tan⁵⁷ Uno⁵⁸ Leukemia

L-AMB

N/A

week.

A/N

Pulmonary mass Lung atelectasis Died

L-AMB: sulbactam/ampicillin, trimethoprim/sulfamethoxazole, voriconazole, levofloxacin

None

Disseminated

Pulmonary mass, stroke

> 7	First author	Age in years/	Underlying disease	Precenting cymptoms	Organ involvement	Treatment	Outcome
2 0	44	מלוומנו	מומנות אווף מוסנמסט				-
1987	Nimmo	19/F	Liver transplantation	Fever	Lung, disseminated	AMB	Died
2004	Ortin ⁴⁵	44/M	Leukemia	Myocardial infarct and stroke	Hematological dissemination	L-AMB	Died
2017	Ota ¹²	4/69	Leukemia/cord blood transplantation	Fever	Lung	L-AMB; micafungin; surgery	Improved
2017	Ota ¹²	35/M	Leukemia/cord blood transplantation	Fever	Lung	L-AMB; micafungin; surgery	Improved
2006	Paul ⁴⁶	57/F	Leukemia	Pneumonitis	Lung	L-AMB; voriconazole; posaconazole; surgery	Improved
2006	Pimentel ⁴⁷	39/F	Renal failure	Peritonitis on peritoneal dialysis	Abdomen	Voriconazole; catheter removal	Improved
2019	Pomorska ⁴⁸	7/F	Leukemia	Respiratory	Lung	Surgery; L-AMB, caspofungin, isavuconazole	Improved
2012	Quillet-Dye ⁴⁹	M/89	b-cell lymphoma	Necrotic placards	Skin	Voriconazole	Improved
2004	Quinio ⁵⁰	54/M	Renal transplantation	Necrotic placards	Skin	Itraconazole; surgery	Improved
2000	Rickerts ⁵¹	61/F	Renal transplantation	Pneumonitis	Lung	L-AMB; 5 flucytosine	Died
2000	Rickerts ⁵¹	4/09	Leukemia	Pneumonitis	Lung	L-AMB	Died
2000	Rickerts ⁵¹	51/M	Leukemia	Pneumonitis	Lung	L-AMB	Died
2000	Rickerts ⁵¹	55/M	Lymphoma	Pneumonitis	Lung	L-AMB	Improved
2008	Righi ⁵²	41/M	Leukemia	Rhino-mastoiditis	Sinus	L-AMB; surgery	Improved
2015	Santos ⁵³	N/A	Renal transplantation	N/A	N/A	N/A	Died
2005	Sivakumar ⁵⁴	42/M	Leukemia	Pneumonitis	Lung	L-AMB	Died
2016	Su ⁵⁵	13/F	Leukemia	Cough, hemoptysis	Lung	L-AMB	Died
2015	Tadepalli ⁵⁶	30/M	No (immunocompetent patient)	Onycholysis and onychodystrophy	Onyx	Ciclopirox topical solution 8% along with oral itraconazole 200 mg/twice a day for one	N/A

Abbreviation: L-AMB, liposomal amphotericin B.

AUTHOR CONTRIBUTIONS

Julie Belliere was involved in manuscript drafting and revision. Marion Rolland was involved in patient's management and diagnosis. Emilie Tournier was involved in Histopathology interpretation and critical review. Sophie Cassaing and Xavier Iriart were involved in *Cunninghamella* identification, critical review, and revision. Carle Paul was involved in patient's management, diagnosis, and critical review of manuscript. Nassim Kamar was involved in concept, design, and manuscript drafting.

ORCID

Julie Belliere https://orcid.org/0000-0002-4229-8584

Nassim Kamar https://orcid.org/0000-0003-1930-8964

REFERENCES

- Millon L, Larosa F, Lepiller Q, et al. Quantitative polymerase chain reaction detection of circulating DNA in serum for early diagnosis of mucormycosis in immunocompromised patients. Clin Infect Dis. 2013;56:e95-e101.
- Kurtzman CP, Robnett CJ. Identification of clinically important ascomycetous yeasts based on nucleotide divergence in the 5' end of the large-subunit (26S) ribosomal DNA gene. J Clin Microbiol. 1997;35:1216-1223.
- Bitar D, Lortholary O, Le Strat Y, et al. Population-based analysis
 of invasive fungal infections, France, 2001–2010. Emerg Infect Dis.
 2014;20:1163-1169.
- Vallabhaneni S, Benedict K, Derado G, Mody RK. Trends in hospitalizations related to invasive Aspergillosis and Mucormycosis in the United States, 2000–2013. Open Forum Infect Dis. 2017;ofw268.
- Navanukroh O, Jitmuang A, Chayakulkeeree M, Ngamskulrungroj P. Disseminated Cunninghamella bertholletiae infection with spinal epidural abscess in a kidney transplant patient: case report and literature review. Transpl Infect Dis. 2014;16:658-665.
- Roden MM, Zaoutis TE, Buchanan WL, et al. Epidemiology and outcome of zygomycosis: a review of 929 reported cases. Clin Infect Dis. 2005;41:634-653.
- Jeong W, Keighley C, Wolfe R, et al. The epidemiology and clinical manifestations of mucormycosis: a systematic review and metaanalysis of case reports. Clin Microbiol Infect. 2019;25:26-34.
- 8. Millon L, Scherer E, Rocchi S, Bellanger A-P. Molecular strategies to diagnose mucormycosis. *J Fungi (Basel, Switzerland)*. 2019;5:24.
- Jeong W, Keighley C, Wolfe R, et al. The contemporary management and clinical outcomes of mucormycosis: a systematic review and meta-analysis of case reports. Int J Antimicrob Agents. 2019:53:589-597.
- Tissot F, Agrawal S, Pagano L, et al. ECIL-6 guidelines for the treatment of invasive candidiasis, aspergillosis and mucormycosis in leukemia and hematopoietic stem cell transplant patients. Haematologica. 2017;102:433-444.
- Cornely OA, Cuenca-Estrella M, Meis JF, Ullmann AJ. European Society of Clinical Microbiology and Infectious Diseases (ESCMID) Fungal Infection Study Group (EFISG) and European Confederation of Medical Mycology (ECMM) 2013 joint guidelines on diagnosis and management of rare and emerging fungal diseases. Clin Microbiol Infect. 2014;20:1-4.
- Ota H, Yamamoto H, Kimura M, et al. Successful treatment of pulmonary Mucormycosis caused by Cunninghamella bertholletiae with high-dose liposomal Amphotericin B (10 mg/kg/day) followed

- by a lobectomy in cord blood transplant recipients. *Mycopathologia*. 2017:182:847-853.
- Higo T, Kobayashi T, Yamazaki S, et al. Cerebral embolism through hematogenous dissemination of pulmonary mucormycosis complicating relapsed leukemia. *Int J Clin Exp Pathol*. 2015:8:13639-13642.
- Verma A, Brozman B, Petito CK. Isolated cerebral mucormycosis: report of a case and review of the literature. J Neurol Sci. 2006;240:65-69.
- Mahomed S, Basanth S, Mlisana K. The successful use of amphotericin B followed by oral posaconazole in a rare case of invasive fungal sinusitis caused by co-infection with mucormycosis and aspergillus. IDCases. 2015;2:116-117.
- Berger AP, Ford BA, Brown-Joel Z, Shields BE, Rosenbach M, Wanat KA. Angioinvasive fungal infections impacting the skin. J Am Acad Dermatol. 2019;80:883–898.e2.
- Ashkenazi-Hoffnung L, Bilavsky E, Avitzur Y, Amir J. Successful treatment of cutaneous zygomycosis with intravenous amphotericin B followed by oral posaconazole in a multivisceral transplant recipient. *Transplantation*. 2010;90:1133-1135.
- Bhandary S, VijayaPai H, Rao L, Yegneswaran P. Cunninghamella spinosum fungal corneal ulcer- first case report. *Indian J Ophthalmol*. 2014:62:375.
- Bhutadal K, BorkarSS, MendirattaDK, ShendeVR. Successful treatment of peritonitis by C. bertholletiae in a chronic kidney failure patient on continuous ambulatory peritoneal dialysis after kidney rejection. Case Rep Singapore Med J. 2012.
- Bibashi E, Sidi V, Kotsiou M, Makrigiannaki E, Koliouskas D. Pulmonary Zygomycosis caused by Cunninghamella bertholletiae in a child with acute lymphoblastic leukemia. *Hippokratia*. 2008:12:43-45.
- Carceller F, Oñoro G, Buitrago MJ, et al. Cunninghamella bertholletiae infection in children. J Pediatr Hematol Oncol. 2014;36:e109-e114.
- Darrisaw L, Hanson G, Vesole DH, Kehl SC. Cunninghamella infection post bone marrow transplant: case report and review of the literature. *Bone Marrow Transplant*. 2000;25:1213-1216.
- Garbino J, Myers C, Ambrosioni J, Gumy-Pause F. Report of a successful treatment of pulmonary *Cunninghamella bertholletiae* infection with liposomal amphotericin and posaconazole in a child with GvHD and review of the literature. *J Pediatr Hematol Oncol.* 2010;32:85-87.
- 24. Garey KW, Pendland SL, Huynh VT, Bunch TH, Jensen GM, Pursell KJ. *Cunninghamella bertholletiae* infection in a bone marrow transplant patient: amphotericin lung penetration, MIC determinations, and review of the literature. *Pharmacotherapy*. 2001;21:855-860.
- Gupta R, Goel N, Gupta A, Gupta KB, Chaudhary U, Sood S. A rare fungal infiltration of lungs in a healthy young girl. Case Rep Pulmonol. 2011;2011:1-3.
- 26. Hampson FG, Ridgway EJ, Feeley K, Reilly JT. A fatal case of disseminated zygomycosis associated with the use of blood glucose self-monitoring equipment. *J Infect*. 2005;51:e269-e272.
- Hirano T, Yamada M, Sato K, et al. Invasive pulmonary mucormycosis: rare presentation with pulmonary eosinophilia. BMC Pulm Med. 2017;17:76.
- Hirayama Y, Yajima N, Kaimori M, et al. Disseminated infection and pulmonary embolization of *Cunninghamella bertholletiae* complicated with hemophagocytic lymphohistiocytosis. *Intern Med*. 2013;52:2275-2279.
- Hsieh T-T, Tseng H-K, Sun P-L, Wu Y-H, Chen G-S. Disseminated zygomycosis caused by *Cunninghamella bertholletiae* in patient with hematological malignancy and review of published case reports. *Mycopathologia*. 2013;175:99-106.
- 30. Jayasuriya N, Tilakaratne W, Amaratunga E, Ekanayake M. An unusual presentation of rhinofacial zygomycosis due to *Cunninghamella*

- sp. in an immunocompetent patient: a case report and literature review. *Oral Dis.* 2006;12:67-69.
- Kimura M, Araoka H, Uchida N, et al. Cunninghamella bertholletiae pneumonia showing a reversed halo sign on chest computed tomography scan following cord blood transplantation. Med Mycol. 2012:50:412-416.
- 32. Kohan R, Delgado T, Zakariya-Yousef Brevall, Arbesú CruzA. Pulmonary mucormycosis due to *Cunninghamella* spp. in renal transplant patient. *Rev Esp Quimioter*. 2017;30:472-473.
- 33. Kolbeck PC, Makhoul RG, Bollinger RR, Sanfilippo F. Widely disseminated cunninghamella mucormycosis in an adult renal transplant patient: case report and review of the literature. Am J Clin Pathol. 1985;83:747-753.
- Koyama N, Nagata M, Hagiwara K, Kanazawa M. Survival of a patient with pulmonary *Cunninghamella bertholletiae* infection without surgical intervention. *Respirology*. 2008;13:309-311.
- Liu Y-C, Zhou M-L, Cheng K-J, Zhou S-H, Wen X, Chang C-D. Successful treatment of invasive fungal rhinosinusitis caused by Cunninghamella: a case report and review of the literature. World J Clin Cases. 2019;7:228-235.
- Luo C, Wang J, Hu Y, et al. Cunninghamella bertholletiae infection in a HLA-haploidentical hematopoietic stem cell transplant recipient with graft failure: case report and review of the literature. Mycopathologia. 2016;181:753-758.
- Malkan AD, Wahid FN, Rao BN, Sandoval JA. Aggressive cunninghamella pneumonia in an adolescent. *J Pediatr Hematol Oncol*. 2014;36:581-582.
- 38. Margoles L, DeNofrio D, Patel AR, et al. Disseminated mucormycosis masquerading as rejection early after orthotopic heart transplantation. *Transpl Infect Dis.* 2018;20:e12820.
- 39. Matsumoto K, Yamamoto W, Ohgusa E, et al. Disseminated *Cunninghamella bertholletiae* infection with septic pulmonary embolism after allogeneic bone marrow transplantation. *Transpl Infect Dis.* 2014;16:304-306.
- 40. Mayayo E, Klock C, Goldani L. Thyroid involvement in disseminated zygomycosis by *Cunninghamella bertholletiae*: 2 cases and literature review. *Int J Surg Pathol*. 2011;19:75-79.
- 41. Mostaza JM, Barbado FJ, Fernandez-Martin J, Peña-Yañez J,Vazquez-Rodriguez JJ. Cutaneoarticular mucormycosis due to *Cunninghamella bertholletiae* in a patient with AIDS. *Clin Infect Dis.* 1989;11(2):316–318.
- 42. Motohashi K, Ito S, Hagihara M, Maruta A, Ishigatsubo Y, Kanamori H. Cutaneous zygomycosis caused by *Cunninghamella bertholletiae* in a patient with chronic myelogenous leukemia in blast crisis. *Am J Hematol.* 2009:84:447-448.
- 43. Mukasa Y, Ichiyasu H, Akaike K, Okamoto S, Komohara Y, KohrogiH. Autopsy case of pulmonary zygomycosis and pneumocystis pneumonia in a patient with interstitial pneumonia treated by corticosteroid therapy. Nihon Kokyuki Gakkai Zasshi. 2010;48:847-854.
- Nimmo GR, Whiting RF, Strong RW. Disseminated mucormycosis due to Cunninghamella bertholletiae in a liver transplant recipient. Postgrad Med J. 1988;64:82-84.
- Ortín X, Escoda L, Llorente A, et al. Cunninghamella bertholletiae infection (mucormycosis) in a patient with acute T-cell lymphoblastic leukemia. Leuk Lymphoma. 2004;45:617-620.
- Paul S, Marty FM, Colson YL. Treatment of cavitary pulmonary zygomycosis with surgical resection and posaconazole. *Ann Thorac* Surg. 2006;82:338-340.

- 47. Pimentel JD, Dreyer G, Lum GD. Peritonitis due to *Cunninghamella bertholletiae* in a patient undergoing continuous ambulatory peritoneal dialysis. *J Med Microbiol*. 2006;55:115-118.
- 48. Pomorska A, Malecka A, Jaworski R, et al. Isavuconazole in a successful combination treatment of disseminated mucormycosis in a Child with acute lymphoblastic leukaemia and generalized haemochromatosis: a case report and review of the literature. *Mycopathologia*. 2019;184:81-88.
- Quillet-Dye C, Meniane J-C, Quist D, Desbois N. Mycoses cutanées à Cunninghamella bertholletiae, Phomopsis sp. et Paraconiothyrium sp. chez un patient immunodéprimé: à propos d'un cas martiniquais. J Mycol Med. 2012;22:357-361.
- Quinio D, Karam A, Leroy J-P, et al. Zygomycosis caused by Cunninghamella bertholletiae in a kidney transplant recipient. Med Mycol. 2004;42:177-180.
- Rickerts V, Böhme A, Viertel A, et al. Cluster of pulmonary infections caused by Cunninghamella bertholletiae in immunocompromised patients. Clin Infect Dis. 2000;31:910-913.
- Righi E, Giacomazzi CG, Lindstrom V, et al. A case of Cunninghamella bertholettiae rhino-cerebral infection in a leukaemic patient and review of recent published studies. Mycopathologia. 2008:165:407-410.
- Santos T, Aguiar B, Santos L, et al. Invasive fungal infections after kidney transplantation: a single-center experience. *Transplant Proc.* 2015:47:971-975.
- 54. Sivakumar S, Mathews MS, George B. *Cunninghamella pneumonia* in postbone marrow transplant patient: first case report from India. *Mycoses*. 2005;48:360-362.
- Su Y-Y, Chang T-Y, Wang C-J, et al. Disseminated Cunninghamella bertholletiae infection during induction chemotherapy in a girl with high-risk acute lymphoblastic leukemia. Pediatr Neonatol. 2016;57:531-534.
- Tadepalli K, Gupta PK, Asati DP, Biswas D. Onychomycosis due to Cunninghamella bertholletiae in an immunocompetent male from central India. Case Rep Infect Dis. 2015;2015:1-4.
- Tan M, Gibney EM. lung mass in a kidney transplant recipient. Am J Transplant. 2015;15:281-283.
- 58. Uno K, Hishiya N, Matsuda M, et al. Case of endobronchial metastasis from breast cancer accompanied with *Cunninghamella bertholletiae* tracheobronchial mycetoma. *J Infect Chemother.* 2019.
- Vazquez L, Mateos JJ, Sanz-Rodriguez C, Perez E, Caballero D, San Miguel JF. Successful treatment of rhinocerebral zygomycosis with a combination of caspofungin and liposomal amphotericin B. Haematologica. 2005;90:ECR39.
- 60. Yamawaki S, Nakashima K, Suzuki F, et al. Rice-field drowning-associated pneumonia in which *Pseudomonas*; spp., *Aspergillus fumigatus*; and *Cunninghamella*; sp. are isolated. *Intern Med.* 2016;55:825-829.
- 61. Zhang R, Zhang JW, Szerlip HM. Endocarditis and hemorrhagic stroke caused by *Cunninghamella bertholletiae* infection after kidney transplantation. *Am J Kidney Dis.* 2002;40:842-846.

How to cite this article: Belliere J, Rolland M, Tournier E, et al. Early necrotic skin lesions after a ABO-incompatible kidney transplantation: The threat of *Cunninghamella Spp.*. *Transpl Infect Dis.* 2019;21:e13173. https://doi.org/10.1111/tid.13173